



**Village of Thiensville
Plan Commission
AGENDA**

Date:
Tuesday, July 8, 2025

LOCATION: 250 Elm Street, Thiensville, WI

Time: 6:00 PM

I. CALL TO ORDER

II. ROLL CALL

Chairman

John Rosing

**Director of Community
Services/Public Works**

Andy LaFond

Village Planner

Meredith Perks

Commissioners

Dan Daly

Rebecca Holyoke-
Odeja

David Lange

Joe Nelson

M. Randy Pasternak

Jerry Schmitz

III. CITIZENS TO BE HEARD

A. Open to any resident or taxpayer on items not subject to a public hearing: Please be advised per §19.84(2), information will be received from the public. Village policy limits a three (3) minute time period per person, with time extension by the presiding official's discretion or a vote of 2/3 of the Board or Committee; be further advised that there may be limited discussion on the information received, however, no action will be taken under public comments. Written comments on agenda items are encouraged to be sent and addressed to the intended body by noon on the day of the meeting. Comments received timely will be forwarded to all members of the body. If you wish to speak, you must pre-register by emailing the Village Clerk at clandisch@village.thiensville.wi.us by 4:00 PM on the day of the meeting or by signing in immediately prior to the meeting.

IV. APPROVAL OF MINUTES

A. June 10, 2025 (att)

V. BUSINESS

A. Review and Action Regarding Shed Project at 317 Crescent Lane (att)

VI. STAFF REPORT

A. June, 2025 (att)

VII. ADJOURNMENT



VILLAGE OF THIENSVILLE
Plan Commission
MINUTES

DATE: Tuesday, June 10, 2025

LOCATION: 250 Elm Street, Thiensville, WI

TIME: 6:00 PM

I. CALL TO ORDER

President Rosing called the meeting to order at 6:00 PM.

II. ROLL CALL

Chairman

John Rosing

Director of Community Services/Public Works

Andy LaFond

Village Planner

Meredith Perks

Commissioners

Dan Daly

Rebecca Holyoke-Odeja

David Lange
(Absent)

Joe Nelson (Excused)

M. Randy Pasternak

Jerry Schmitz

President Rosing asked Commissioner Daly to give a brief introduction.

Commissioner Daly has been a resident since 2002, parishioner at Lumen Christi Church, and worked for Morgan Stanley for 40 years, retiring in July 2024.

III. CITIZENS TO BE HEARD

A. Open to any resident or taxpayer on items not subject to a public hearing: Please be advised per §19.84(2), information will be received from the public. Village policy limits a three (3) minute time period per person, with time extension by the presiding official's discretion or a vote of 2/3 of the Board or Committee; be further advised that there may be limited discussion on the information received, however, no action will be taken under public comments. Written comments on agenda items are encouraged to be sent and addressed to the intended body by noon on the day of the meeting. Comments received timely will be forwarded to all members of the body. If you wish to speak, you must pre-register by emailing the Village Clerk at clandisch@village.thiensville.wi.us by 4:00 PM on the day of the meeting or by signing in immediately prior to the meeting.

None.

IV. APPROVAL OF MINUTES

A. May, 13 2025 (att)

B. Joint Meeting May 19, 2025 (att)

MOTION to Approve Plan Commission Minutes May, 13, 2025 & Joint Meeting Minutes May 19, 2025 by Commissioner Holyoke-Odeja **SECONDED** by Commissioner Pasternak. **MOTION CARRIED UNANIMOUSLY.**

Aye: 5

No: 0

Abstain: 0

V. BUSINESS

A. Presentation and Discussion Regarding Christ Alone Church and School Expansion Project

Andrew Petzold of Concord Development Company presented the updated Christ Alone project plan.

The Christ Alone team presented before the Commission in April, but as there have been new Commissioners appointed since that time, Mr. Petzold wanted to give a brief summary of the scope of project.

Mr. Petzold explained that the project involves two major components. The first is an expansion of the church itself, along with addressing some mechanical issues within the existing church.

The second component of the project is the school addition, which has two pieces of its own. These include an expansion of classrooms and administrative offices as well as an expanded gymnasium. The existing gym would be re-purposed as a STEM classroom and a smaller indoor rec area for students.

Mr. Petzold further also noted that a 750 square foot garage and an expanded parking lot are also included in the project.

The project is being considered as a whole rather than piecemeal at this time. However, it's

possible that the gym will come at a later time due to fundraising.

At the last meeting in April, the Christ Alone team received feedback from the commission and has since attempted to address the concerns raised at that time. The Christ Alone team believes that the changes made to the project plan adequately meet this need.

Mr. Petzold shared that the Christ Alone team is pleased with the recommendations included in both the engineering and staff reports.

John Bieberitz, of Traffic Analysis & Design Inc., presented the traffic flow plan designed to address prior concerns.

Director LaFond asked for clarification on the amount of traffic based on pupil count and/or number seated in the church.

Geoff Grossman of the Christ Alone team answered that currently there are 95 students. Projected to be the same as of now for next year. With the addition, Christ Alone is hoping to grow to 200, with 65 students in the early learning center, which will have staggered dismissal throughout the day.

Currently, the experience is a departure at three but then later departures due to after-school activities.

The Christ Alone team shared that Main Street access would be inbound only in the afternoon timeframe, and would then be routed through the parking lot in a double-wide arrangement in order to allow two lines at a time. This arrangement will split the traffic flow with an inbound route on Main Street and an outbound route on Division Street, with Division Street allowing cars to exit either left or right.

The Christ Alone team believe this is an improvement over the current traffic flow in which only Division Street is accessible as an entrance. The proposed plan allows 60 vehicles at a time, and the Christ Alone team doesn't anticipate it will ever reach this many at one time.

Commissioner Paternak asked for clarity about the Main Street exit, and why there are two other avenues on Main Street shown for exit in the plan.

Mr. Bieberitz answered that this was intended for lesser volume instances such as after-school events.

Commissioner Pasternak inquired how vehicles would be prevented from using the additional Main Street exits during pickup hours.

Mr. Grossman, of Christ Alone, replied that the use of the Main Street exits would be restricted by the traffic flow within the parking lot, making the use of the Main Street exits at that time impossible..

Chairman Rosing inquired if there would only be one Main Street entrance, regardless of which direction vehicles are coming from.

Mr. Bieberitz explained that yes, there would only be one Main Street entrance, but the middle

turn lane present on Main Street would make that arrangement a preferable solution to the current very short turn lane onto Division Street.

Commissioner Daly asked if there was any data on which direction cars typically need to go when exiting the parking lot.

Mr. Bieberitz replied that there was not any data, but conditions are expected to be considerably different than the current traffic flow.

Commissioner Pasternak wondered what could be done if the plan is approved and later the Commission realizes it's causing unexpected congestion.

Mr. Petzold explained that at that point Christ Alone would need to address it operationally with different planning, something that is seen at other schools and churches.

Director LaFond opined that the congestion issue exists with or without the school change, and is due to the nature of that intersection.

Director LaFond also explained that Traffic Analysis & Design Inc. is one of the top traffic firms, and if they believe the plan is the most effective solution it would be hard to find a different firm to challenge it.

Mr. Bieberitz shared that the Christ Alone team tried to see if the intersection justified a traffic signal, but found there is not enough traffic flow to justify a signal.

Commissioner Holyoke-Odeja felt that the concerns regarding traffic are alleviated by this plan adjustment and appreciated the clarity from the Christ Alone team.

Chairman Rosing expressed a concern regarding siding in the peaks of the church matching and complimenting the existing stone.

Mr. Petzold stated that this has been addressed in the updated plan.

Planner Perks further explained that the material in the updated plan is the same material that will also be used in the new garage to create some visual consistency. The change to material, along with landscaping updates, were asked for in the April meeting and have now been addressed.

STAFF COMMENTS

Planner Perks pointed out some items to note with regard to variations.

Planner Perks stated that Staff are comfortable with some landscaping being slightly off code due to safety conditions and specific needs of a school

The comment in the engineering report regarding the main entry being a bit wider than code would ask for is acceptable, given that in this specific use it improves safety.

The setbacks are meeting the existing building setbacks, rather than zoning code due to consistency being valued higher in this instance.

Planner Perks highlighted some expected work to be done moving forward.

The landscaping in front of Main Street parking area would normally have certain requirements, but Staff will work with the Christ alone team to find a solution that softens that work and enhances the safety of the entrance.

The Village sign code typically requires certain landscaping around the sign once moved. Again, Staff will work with the Christ Alone team to soften this area.

Planner Perks does not see these landscaping items as a cause for delay at this time.

Planner Perks also noted that the required zoning amendment for the project had already been passed by Plan Commission and the Village Board.

Staff recommend approval of site plan with conditions mentioned in staff report.

1. Review and Action Regarding Certified Survey Map (att)

MOTION to Recommend Certified Survey Map by Commissioner Schmitz **SECONDED** by Commissioner Holyoke-Odeja. **MOTION CARRIED UNANIMOUSLY.**

Aye: 5

No: 0

Abstain: 0

2. Review and Recommendation Regarding Re-Zoning Parcel 120500713004 from R5-PDO Multi Family Residential to I1-Institutional and Parcel 120500713002 from B4 Highway Business District to I1-Institutional (att)

MOTION to Recommend Re-Zoning Parcel 120500713004 from R5-PDO Multi-Family Residential to I1-Institutional and Parcel 120500713002 from B4 Highway Business District to I1-Institutional by Commissioner Holyoke-Odeja **SECONDED** by Commissioner Schmitz.

MOTION CARRIED UNANIMOUSLY.

Aye: 5

No: 0

Abstain: 0

3. Review and Action Regarding Architectural and Site Plan

MOTION to Approve Architectural and Site Plan with Conditions as Outlined by Staff Report by Commissioner Pasternak **SECONDED** by Commissioner Daly. **MOTION CARRIED UNANIMOUSLY.**

Aye: 5

No: 0

Abstain: 0

Chairman Rosing thanked the Christ Alone Team for their time and willingness to work with the Village Staff.

VI. STAFF REPORT

A. May, 2025 (att)

Director LaFond explained the purpose of the Staff Report and highlighted some of the projects in this month's report.

Commissioner Schmitz asked if Dr. Dawg will use the existing drive-thru.

Director LaFond replied that the window will be walk up, not drive up.

Commissioner Pasternak asked about a property on Woodside Lane that is consistently overgrown, and if the Village could address it.

Director LaFond shared that the Village is actively working on rectifying the issue, and that the property has been vacant for 30 years and is starting to show serious damage.

Chairman Rosing inquired as to what could be done by the Police Department to intervene in instances such as the property on Woodside Lane.

Director LaFond explained that usually Village Staff would start with code enforcement as more of an education measure. If a warning fails, police would be the enforcement arm.

Commissioner Pasternak inquired what ordinances or rules there are regarding work trucks in private driveways.

Director LaFond answered that it was allowed, but gross vehicle weight and max length both have limitations.

Chairman Rosing asked about private plants that block public view of roads/traffic, and who is responsible for maintenance.

Director LaFond stated that there are ordinances governing overgrown plants in specific areas such as vision corners, and that maintenance is a homeowner responsibility.

VII. ADJOURNMENT

MOTION to Adjourn at 6:45 PM by Commissioner Pasternak **SECONDED** by Commissioner Holyoke-Odeja. **MOTION CARRIED UNANIMOUSLY.**

Aye: 5
No: 0
Abstain: 0

Submitted by,

Ben Honeck
Deputy clerk

Signed by,

Colleen Landisch-Hansen
Village Administrator/Clerk

**EYNON
 317 CRESCENT
 BACKYARD SHED**

To: Thiensville Plan Commission	Prepared by: Andy LaFond, Director of Community Services
Date: July 8, 2024	
Applicant:	Tom and Yvonne Eynon
Status of Applicant:	Owner
Location:	317 Crescent Lane
Existing Zoning:	R-1 Single Family Residential District
Requested Action:	Approval of Backyard Shed

Report:

The applicant is proposing to install a backyard shed to be located 20 feet from the rear property line and 17 feet from the east property line. The structure will measure 10 feet by 12 feet, for a total of 120 square feet in size, and at 9 feet 6 inches in height, will be under the 12-foot height limit. The shed will have two doors and attractive windows. It is proposed to be painted to match the home and will feature a shingled roof. The applicant intends to install solar panels to provide electricity to the shed.

According to **Sections 17.0603. E.** of the zoning code, **Accessory structures, such as garden or utility sheds, shall be placed or erected in the rear yard provided, cannot exceed 150 square feet and shall not be closer than 5 feet to the principal structure, shall not exceed 12 feet in height and shall be located no closer than 3 feet to any property line; and all accessory structures shall occupy not more than 20% of the rear yard area. One detached accessory structure is allowed on a residential parcel.**

Staff Comments:

Staff's review indicates full compliance with the R-1 requirements that therefore approval is recommended subject to the following:

- Village Building Inspector approves footing plan
- The applicant secures a building permit prior to construction.

PLAN COMMISSION APPLICATION

Submission Information:

A complete application along with the appropriate fees shall be submitted by the deadline stated on the meeting schedule to the Village Clerk In order for an application to be considered complete, the application shall include the required number of site plans/maps, and all of the necessary supporting information as indicated on the Project Review Checklist. The applicant is responsible to pay planner charges after a first half hour of planner time. Owner, architect, builder or owner's representative must attend the Plan Commission meeting for action to be taken. Work cannot begin until Plan Commission approval and paid and approved building permit.

Property Address: 317 CRESCENT LANE

Tax Key #

Current Zoning

Property Owner:

TOM & YVONNE EYNON

Name

Applicant: Same as Owner

Name

317 CRESCENT LANE

Address

Address

414-406-1763

Phone

Phone

tomeynon@hotmail.com

Email Address

Email Address

Project Description:

Please describe your project in detail. Include details about height and dimensions, color, materials used, and setbacks from the street and property lines. Provide any information that you believe will assist staff in reviewing and approving your request.

BACKYARD SHED 10 X 12¹² MADE BY GORILLA

PURCHASED FROM COSTCO. SHED INCLUDES ALL MATERIALS FROM GORILLA, WHICH INCLUDES: ROOF, WALLS, WINDOWS, FLOOR, SHUTTERS, DOORS AND DOOR TRIM AND HARDWARE. COLOR WILL MATCH OUR HOME. GRAY & WHITE TRIM. PLANNING SOLAR PANELS FOR ELECTRICITY.

Thomas M. Eynon

Applicant Signature

5/7/2025

Date

Planner Fee Schedule: The Village provides the first half hour of the Village Planner's services. Any additional plan review time is billed at \$130.00/hr.

Application Checklist: *Two paper copies and an electronic copy with files in PDF format (plan size 11X17) must be submitted for all applicable items below for planner review and the Plan Commission packet.*

Submit scaled site plan with proposed location and setbacks with accurate dimensions indicating the property size, its relationship to surrounding properties, existing topography, key natural features and show the location of all existing and proposed:

A. Structures, showing all entrances	K. Dumpster location and screening
B. Driveways & street access	L. Location, color, message, dimensions and materials of all signs
C. Parking areas	M. Location, size and character of dedicated or private open space
D. Walkways	N. Location of sanitary sewer, storm sewer, water mains and services and storm water detention facilities
E. Existing landscaping	O. Floor plan of building or addition
F. Abutting public and private streets	
G. Public easements	
H. Surrounding land uses and zoning	
I. Retaining walls	
J. Decorative accessories	

- Storm water management plan.
- Completed building permit application (including two full size plan sets with state stamp for commercial and multi-family).
- Grading plan showing existing and finished grades.
- Professionally prepared landscape plan.
- Lighting plan; photometric plan, type of fixtures, wattage and location and height of lighting structures.
- Topographic data or pertinent grade elevations, if necessary, for proper remodeling of existing buildings showing finished exterior treatment.
- Colored elevations of proposed buildings, structures and fencing, or of proposed remodeling of existing buildings, showing finished exterior treatment and a listing of building materials.

Is this property in Thiensville's Historic District? Yes No

If yes, you must apply for a Certificate of Appropriateness with the Historic Preservation Commission. Complete the COA application. Attendance at HPC meeting is required.

**All Commercial and Multi-Family projects including any change of occupancy, change of use, or construction/alteration must be submitted to the Southern Ozaukee Fire Department for review, approval, and inspections.*



Village Staff Review

- Application Complete. Items needed: _____
- Submitted to Village Planner on _____ Approved by planner on _____
- Historic Preservation Approval (if needed) on _____

Additional Remarks/Conditions:

Village Staff Signature


Date







FIBERGLASS SHINGLES
 SECURE SHINGLES TO ROOF
 DECKING w/ (4) 1-1/4" ROOFING NAILS
 *** NOT INCLUDED WITH KIT ***




A
1
EAVE ELEVATION
 SCALE: 3/8" = 1'-0"



**10' Wide PRIME
 ELEVATIONS**

SIZE: A	ADDRESS: 1000 Tenth Drive Norfolk, VA 23502	DATE: 03/21/2023	USER: Ken Suitor	DATE: March 22, 2023
SCALE: As Noted	PROJECT: 10' Wide PRIME ELEVATIONS		SHEET: 1 of 7	

Depth Dim. "A "	12'-0" Base	16'-0"
Gable Style	10'-0" wide by:	



B
1

GABLE ELEVATION


SCALE: 3/8" = 1'-0"



10' Wide PRIME ELEVATIONS

SIZE: A	ADDRESS: 15000 Terrell Drive, Monroe, MI 48112	DWD BY: Kon Suitor	DATE: March 22, 2023
SCALE: As Noted			DESIGN: 21-1848
			SHEET: 2 of 7

Depth Dim. "A "	12'-0" Base	16'-0"	
Gable Style			
10'-0" wide by:			




(A) FRONT WALL / EAVE SIDE FRAMING
SCALE: 3/8" = 1'-0"

(B) LEFT SIDE WALL FRAMING
SCALE: 3/8" = 1'-0"

Depth Dim. "A"	12'-0" Base	16'-0"	
Gable Style			
10'-0" wide by:			

BACKYARD PRODUCTS, L.L.C.		10' Wide PRIME FRONT/SIDE WALL FRAMING	
ADDRESS: 15000 Olden Nixa, MO 65712	DATE BY: Ken Suttler	DATE REVIEW: March 22, 2023	
SCALE: As Noted	ISSUE NO: 1000 251-104	SHEET: 3 of 7	



A **WOOD FLOOR FRAMING**
SCALE: 3/8" = 1'-0"

NOTES

1. WHEN CONCRETE SLAB IS USED, THIS FLOOR FRAMING IS NOT REQUIRED
2. ALL MATERIALS AND LABOR SHALL MEET OR EXCEED APPLICABLE LOCAL CODES.
3. ALL LUMBER TO BE NO. 2 GRADE SPRUCE PINE FIR OR EQUIVALENT.
4. THIS FLOOR FRAMING PLAN IS FOR THE BACKYARD PRODUCTS, LLC. 10' x 12' WIDE ABERDEEN STYLE BUILDING
5. IN THE EVENT OF A DIMENSIONAL OR MATERIAL DISCREPANCY, NOTIFY BACKYARD PRODUCTS, LLC.




10' Wide PRIME FLOOR FRAMING

DATE	REVISED	DESIGNED BY	DATE
A		Ken Sauter	March 22, 2023
SCALE: AS NOTED		PROJECT: 5 of 7	

Depth Dim. "A"	12'-0" Base	16'-0"
Gable Style		
10'-0" wide by:		

NOTE
 FIBERGLASS SHINGLES TO BE SECURED
 TO ROOF DECKING W/1 1/4" ROOF NAILS



A WALL FRAMING PLAN
 SCALE: 3/8" = 1'-0"

B WALL SECTION
 SCALE: 1-1/2" = 1'-0"

Depth Dim. "A"	12'-0" Base	16'-0"			
Gable Style					
10'-0" wide by:					

BACKYARD PRODUCTS, LLC.


MANUFACTURED BY BACKYARD PRODUCTS

10' Wide PRIME WALL FRAMING DETAILS


DESIGNED BY: Tomasz Cholewicki, Norman, MI 48162
 DRAWN BY: Kurt Sultzer
 DATE: March 22, 2023
 SCALE: As Noted (800) 221-1649
 SHEET: 6 of 7

NOTE:

1. THIS ROOF PLAN IS GOOD FOR THE 10' WIDE PRIME ONLY. ALL MATERIAL AND LABOR SHALL MEET OR EXCEED APPLICABLE LOCAL CODES.



A ROOF FRAMING PLAN
SCALE: 3/8" = 1'-0"



B TRUSS SECTION
SCALE: 1/2" = 1'-0"

NOTES:

1. Approved Shingles installed per manufacturers instructions with 4 nails per shingle
2. If using drip edge, it must overlap 2" and be nailed every 12" max.

Depth Dim. "A"	12'-0" Base	16'-0"
Gable Style	10'-0" wide by:	



10' Wide PRIME ROOF DETAILS

DATE	APPROVED	DESIGNED	DRAWN BY	DATE
A	Travis Chis	Travis Chis	Kenn Suttler	March 22, 2023
SCALE: As Noted				SHEET: 7 of 7

OZ 6-44

ENGINEERING TESTS
CONSULTANT
IN CIVIL & WATER DESIGN
DIVISION

NIENOW, LANDRY, WEBSTER & ASSOC.

1750 W. SILVER SPRING DRIVE MILWAUKEE, WIS.
910 ELM GROVE ROAD ELM GROVE, WIS.


WALLACE G. NIENOW, P.E.
JAMES W. LANDRY, P.E.

ASSOCIATES
KENNETH E. WESTERN, E.T.
CARL R. RAHMIG, P.E.

PLAT OF SURVEY

PREPARED FOR Marshall & Ilsley Bank

DESCRIPTION OF PROPERTY Lot 9 in Alberta Subdivision located in the South-
west 1/4 of Section 14, Town 9 North, Range 21 East, in the Village of
Thiensville, Ozaukee County, Wisconsin.



FILED IN ASSESSOR'S OFFICE
VIS. STAMPS ON LINES

AFFIDAVIT:

I hereby certify that I have made a survey on
of the property shown on the above plat.
property is correctly shown on the above plat.

STATE OF WISCONSIN
COUNTY OF MILWAUKEE

I, Wallace G. Nienow, Surveyor, do hereby
certify that I have made a survey of the above described
property and that the above plat is a true and correct
of said survey.

Milwaukee, Wis. November 19, 1958.
Wallace G. Nienow

OZ 6-44

ENGINEERING TESTS
CONSULTANT
IN CIVIL & WATER DESIGN
DIVISION

NIENOW, LANDRY, WEBSTER & ASSOC.

1750 W. SILVER SPRING DRIVE MILWAUKEE, WIS.
910 ELM GROVE ROAD ELM GROVE, WIS.


WALLACE G. NIENOW, P.E.
JAMES W. LANDRY, P.E.

ASSOCIATES
KENNETH E. WESTERN, E.T.
CARL R. RAHMIG, P.E.

PLAT OF SURVEY

PREPARED FOR Marshall & Ilsley Bank

DESCRIPTION OF PROPERTY Lot 9 in Alberta Subdivision located in the South-west 1/4 of Section 14, Town 9 North, Range 21 East, in the Village of Thiensville, Ozaukee County, Wisconsin.



BEARING AND DISTANCE BETWEEN CORNERS
AND STAKED OR BOUNDARIES

AFFIDAVIT:

I hereby certify that I have made a survey on
.....
of the
Property is correctly shown on the above plat.

STATE OF WISCONSIN
COUNTY OF MILWAUKEE

I, Wallace G. Nienow, Surveyor, do hereby
certify that I have made a survey of the above described
property and that the above plat is a true and correct
statement
of said survey.

Milwaukee, Wis. November 19... 1968.
Wallace G. Nienow

Thiensville Plan Commission Staff Report - June 2025

Staff Approved Projects June 2025

Date	Address	Applicant	Project	Staff Approval	ZBOA	Approved	Denied
6/2/2025	151 Green Bay Rd	Bryan & Sarah Miller	re-roof	6/12/2025		x	
6/4/2025	402 Riverview Dr	Charles & Patricia Imig	seasonal above ground pool	6/9/2025		x	
6/13/2025	225 W Alta Loma Circle	Holli Kramer	PV Solar Install	6/23/2025		x	
6/24/2025	311 Alta Loma Circle	James Rinka	patio fence	6/24/2025			x

Code Compliance June 2025

Community Services			
Address	Owner	Complaint	Action

Police Department June 2025

Date	Location	Complaint	Action
6/3/2025	132 W Freistadt	illegal dumping	RO located and citation issued
6/3/2025	600 Oakwood	property maintenance issues - grass too long and house in disrepair	HO contacted, grass cut; DPW director advised on other issues with house
6/7/2025	100blk E Freistadt	ad sign in village row	sign removed
6/7/2025	251 Elm	male swimming in river	contact made and male was told No Swimming allowed and left
6/8/2025	217 Vernon	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	234 Vernon	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	230 Vernon	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	223 Vernon	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	227 Vernon	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	302 E Freistadt	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	212 Vernon	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	334 Riverview	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	348 Riverview	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	338 Riverview	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	239 Elm	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	356 Riverview	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	355 Riverview	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	208 Kenwood	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	301 Washington	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	224 Kenwood	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	230 Kenwood	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	235 Park Crest	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	322 E Freistadt	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	325 E Freistadt	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	328 E Freistadt	garbage cans not screened	garbage can screening reminder given to HO
6/8/2025	205 Grand	garbage cans not screened	garbage can screening reminder given to HO
6/9/2025	327 Grand	garbage cans not screened	garbage can screening reminder given to HO
6/9/2025	306 Grand	garbage cans not screened	garbage can screening reminder given to HO
6/9/2025	200blk S Main	ad sign in village row,	sign removed
6/10/2025	747 Grand	garbage cans not screened	garbage can screening reminder given to HO
6/10/2025	764 Grand	garbage cans not screened	garbage can screening reminder given to HO
6/10/2025	774 Grand	garbage cans not screened	garbage can screening reminder given to HO
6/16/2025	300blk Heidel	solicitor going door to door without village permit;	solicitor was told to leave and did - explained permit process
6/22/2025	100blk W Freistadt	ad sign in village row	sign removed